

331202.00003



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#12

PB

11-21-03

In re Application of:

Timothy M. RICHARDSON

U.S. Application No.: 09/673,671

Filed: September 7, 2000

For: MICROSCOPE SLIDE SYSTEM  
AND METHOD OF USE

) Group Art Unit: 2152

) Examiner: Lee A. Fineman

) October 15, 2003

RECEIVED  
OCT 20 2003  
Technology Center 2100

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**CHANGE OF CORRESPONDENCE ADDRESS**

Sir:

Initially, please change the Attorney Docket number in this case from "320043.00002" to  
--331202.00003--.

Applicant requests a change of correspondence address and customer number from:

Fitzpatrick, Cella, Harper & Scinto  
Customer No. 05514  
277 Park Avenue  
New York, New York 10172

to:

Patent Administrator  
Katten Muchin Zavis Rosenman  
Customer No. 27160  
525 West Monroe Street  
Suite 1600  
Chicago, Illinois 60661-3693

Applicant's undersigned attorney may be reached in our Washington, D.C. office by telephone  
at (202) 625-3500. All correspondence should to be directed to our address given below.

Respectfully submitted,

  
\_\_\_\_\_  
Attorney for Applicant  
Dawn C. Hayes  
Registration No. 44,751

Patent Administrator  
KATTEN MUCHIN ZAVIS ROSENMAN  
525 West Monroe Street  
Suite 1600  
Chicago, Illinois 60661-3693  
Facsimile: (312) 902-1061